

# DET NORSKE VERITAS

## TYPE APPROVAL CERTIFICATE

**CERTIFICATE NO. S-5485**  
This Certificate consists of 3 pages

*This is to certify that the*  
**Sacrificial Anode for Corrosion Protection**

*with type designation(s)*  
**ETC PURE ZINC ALLOY**

*Manufactured by*  
**Emirates Techno Casting L.L.C.**  
AJMAN, United Arab Emirates


*is found to comply with*  
DNV's Recommended Practice B401 (2005)  
Det Norske Veritas' Type Approval Programme 1-601.2, 2000, Sacrificial Anode Materials

*Application*  
The mean current capacity of the sacrificial anode material after 12 months free running testing is 780 Ah/kg. The mean closed circuit potential is - 1096 mV vs. Ag/AgCl seawater. The approval is given for use in sea water at temperatures below 30°C.


*Place and date*  
Høvik, 2008-11-04  
for DET NORSKE VERITAS AS



*This Certificate is valid until*  
2012-12-31


  
Hanne Anita Hjerpetjønn  
*Head of Section*

*Local Office*  
DNV Abu Dhabi

  
Gisle Hersvik  
*Surveyor*

**Notice: This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.**

If any person suffers loss or damage which is proved to have been caused by any negligent act or omission of Det Norske Veritas, then Det Norske Veritas shall pay compensation to such person for his proved direct loss or damage. However, the compensation shall not exceed an amount equal to ten times the fee charged for the service in question, provided that the maximum compensation shall never exceed USD 2 million. In this provision "Det Norske Veritas" shall mean the Foundation Det Norske Veritas as well as all its subsidiaries, directors, officers, employees, agents and any other acting on behalf of Det Norske Veritas.



Cert. No.: S-5485

File No.: 491.21

## Product description

ETC PURE ZINC ALLOY, ASTM B418-06 Type II; Zinc alloy sacrificial anode material.

## Application/Limitation

Approval is given for the sacrificial anode material; not for anode design.

For cathodic protection of steel structures in sea water sediment, sea mud, subsea pipelines, ship's hull, tank internals, steel structures buried in soil, etc.

The mean current capacity of the sacrificial anode material after 12 months free running testing was calculated to be 780 Ah/kg.

## Type Approval documentation

1. Email from Abu Dhabi of 2008-07-08, incl. re. long-term testing of anode material, calibration certificates and test reports (tests witnessed by DNV) and final Survey Report.
2. Email from Abu Dhabi of 2008-02-21, incl. procedures, logs and checklists re. long-term testing of anode material.
3. Email from Abu Dhabi of 2007-09-24, incl. draft Survey Report of 2007-08-22.
4. Various email correspondences between DNV and ETC in the period May 2006 – October 2008.

## Tests carried out

Type Testing carried out according to **Type Approval documentation**, incl. Type Test Report from Emirates Techno Casting LLC of 2008-06-20.


## Marking of product

Product shall be marked with *manufacturer's name*; **ETC** and *type designation*.

## Certificate Retention/Renewal Survey

The scope of the Retention/Renewal Survey is to verify that the conditions stipulated for the Type Approval is complied with and that no alterations are made to the product design or choice of materials.

Survey to be performed after two (2) years (Certificate Retention Survey) and at renewal after four (4) years (Certificate Renewal Survey).



DNV

Cert. No.: S-5485

File No.: 491.21

The main elements of the survey are:

- Ensure that **Type Approval documentation** is available.
- Review design, materials, production process, and performance with respect to possible changes, in order to ensure compliance with **Type Approval documentation** and/or referenced material specifications.
- Ensure traceability between manufacturer's product marking and the DNV Type Approval Certificate.

END OF CERTIFICATE